



## PORTOFINO

A SUPPLE ITALIAN PIGMENTED LEATHER WITH A PRONOUNCED NATURAL GRAIN AND GREAT COLOUR RANGE.



**pelleleathers**

[pelleleathers.com.au](http://pelleleathers.com.au)  
+ 61 2 9460 9222

## PORTOFINO COLOURS



AMARETTO

1710



BAMBOO

1733



BASQUE

1707



CAMOUFLAGE

1728



CAROB

1731



CHAMPAGNE

1706



CITRUS

1717



DIJON

1704



FIESTA

1720



FROST

1701



GRAPE

1725



HONEY

1708



HORSE

1715



ICICLE

1705




LEAD

1711




LILAC

1718



MERLIN

1724



NAVY

1730



ONYX

1732



PAPYRUS

1703




PLATINUM

1734




PORCINI

1716



REDWOOD

1722



ROAST

1714



SHADOW

1726




TALC

1702




TORTE

1700



VINEYARD

1727



VINO


1721



YETI

1712

## PORTOFINO PERFORATION OPTIONS



PINPOINT

## PORTOFINO DETAILS

### PRONOUNCED GRAIN, PIGMENTED

Portofino is a supple Italian pigmented leather with a natural grain. Maintaining an average thickness of 1.3mm, combined with high durability and light fastness, Portofino is suitable for the most demanding commercial or residential applications.

---

APPLICATIONS	Upholstery, Wall Panelling
HIDE SIZE (IN SQM)	5
THICKNESS (IN MM)	1.2-1.4

---

CHARACTERISTIC	TEST METHOD	TEST RESULTS
COLOUR FASTNESS TO RUBBING	EN ISO 11640	Dry 4
	EN ISO 11640	Wet 3/4
	EN ISO 11641	Perspiration 3/4
FLEXING ENDURANCE	EN ISO 5402	50,000 cycles (no finish damage cracks)
TEAR STRENGTH	EN ISO 3377-1	≥ 20 N
LIGHT FASTNESS	EN ISO 105-B02	≥ 5
FINISH ADHESION	EN ISO 11644	≥ 2 N/10mm
FLAME RESISTANCE	AS/NZS 1530.3	Ignitability 15
		Spread of Flame 0
		Heat Evolved 4
	Smoke Developed 4	
AS/NZS 3837	meets BCA Group 1	
DIN EN 1021:1 and EN 1021:2		

---

#### ENVIRONMENTAL

- All wastewater is cleaned in a biological treatment plant, recycled and reused. No PCP, Chrome VI, CADMIUM, FORMALDEHYDE or AZO - Col Dyes are used in the tanning process. All dyes and pigments (finishes) are solvent free ie. water based
- State of the art application technology optimizes the finishing process and greatly reduces the rate of airborne emissions
- Regular inspections are conducted to ensure that quality and environmental standards are maintained at all times
- Low VOC product

---

#### CARE OF LEATHER

- Do not place leather in direct sunlight
- Ensure a minimum of 80cm between furniture and heating source
- Avoid contact of leather with sharp objects
- Regularly clean and dust your leather with a clean dry cloth
- Remove food spills immediately. Do not scrub hard
- Avoid using harsh chemicals and / or cleaners that are oil or solvent based
- Only clean leather with approved upholstery leather cleaners in accordance with the manufacturer's instructions