



VIENNA

A FULL GRAIN SEMI -ANILINE LEATHER, EVENLY COLOURED AND PROTECTED FOR HIGH LIGHT FASTNESS AND DURABILITY. WITH A SOFT HAND IT IS IDEALLY SUITED FOR BOTH COMMERCIAL AND RESIDENTIAL USE, OVER 100 COLOURS AVAILABLE.



pelleleathers.com.au
+ 61 2 9460 9222

VIENNA COLOURS



AMARILLO

2299



AMAZON

2660



AMBER

3355




APFEL

2625



ARCTIC

2712




ARMYGREEN

2682




ASH

1275



AUBERGINE

2480




AZALEA

2352




BARK

2865




BASALT

2862




BERRY

4755




BISQUE

2160




BLAU

2580




BLUEBERRY

2570




BRASIL

2855



BRAUN

2860



BRIOCHE

2645



BUCKSKIN

2145




CANARY

2210




CAMEL

2840




COGNAC

2795




CORAL

2330




CRIMSON

4475CR2




DARKGREY

2782




DESERT

2132




EUCALYPTUS

2620



GRANITE

2780



GRAPPA


2850




GRIS

2720


VIENNA COLOURS




HARLEQUIN 2699




HAZE 2120



HORIZON 5745




INK 5005



JADE 2680



KAHLUA 2875



KELP 2792




KERNAL 2165




KITT 2170




KOBALT 2550




LAGER 2350




LAGOON 2542



LAVA 2435




LIANE 2640




LICORICE 2798




LOAM 2842




LODEN 2870




MAGENTA 2390




MAKARA 2190




MANDARIN 6555




MARBLE 2122




MAUVE 2499



METAL 1605




MIKADO 2775




MOCCA 2880




MOCHA MOUSSE 2391




MORTAR 2770



MULBERRY 2322




MUSHROOM 2180




MUSTARD 2260

VIENNA COLOURS




NORDIC

2530




NOTTE

2572CR2




OCHRE

9405




OPAL

2445



PALOMINO

2735



PANNA

COTTA




PARMESAN

2422




PASTRY

2115




PEAT

2522




PETROL

2670



PINE

2692



PLUME

2732




POMEGRANATE

2535



PRETZEL

2820



PUMPKIN

2420



QUILL

2555




RIDGE

2175




RIVERBED

2332




ROCKMELON

2412



ROJO

2430



ROYALE

2540




RUSSET

2830




SALMON

2410




SAND

2140




SCARLET

2340



SCHWARTZ

2900




SEAFOAM

2610




SEASHELL

2225



SEAWEED

2650



SEPIA


2690

VIENNA COLOURS




SKYBLUE

2545



SLEET

2112



SORREL

2652




SPICE

2825




SPRINGBOK

2270



SQUAW

2835




STABLE

2832




STONE

7995




STORM

2760




STRUDEL

2635



SUPPE

2250




SWABIA

2345




TALLOW

2710




TANGELO

2399



TERRA

2872



TIGEREYE

2432




TIMBER

2815




TINTED

2725




TYPHOON

2655




VIOLA

2440



WEISS


2100




WHEAT

2142


VIENNA PERFORATION OPTIONS




MK1




MK2



MK3



PINPOINT



PIQUE

VIENNA DETAILS



SUBTLE GRAIN, SEMI ANILINE

Vienna is a full grain South German Semi Aniline leather that exhibits the natural characteristics and variations of leather. It is evenly coloured and protected for high light fastness and durability. With a soft hand it is ideally suited for both commercial and residential use.

APPLICATIONS	Upholstery, Wall Panelling, Curtain
HIDE SIZE (IN SQM)	5.7
THICKNESS (IN MM)	1.0-1.2

CHARACTERISTIC	TEST METHOD	TEST RESULTS
COLOUR FASTNESS TO RUBBING	EN ISO 11640	Dry 5
	EN ISO 11640	Wet 5
FLEXING ENDURANCE	DIN 53351	30,000 flexes (no finish damage cracks)
TEAR STRENGTH	DIN 53329	375N/cm
LIGHT FASTNESS	EN ISO 105-B02	6
FLAME RESISTANCE	AS/NZS 1530.3	Ignitability 14 Spread of Flame 0 Heat Evolved 2 Smoke Developed 3
	AS/NZS 3837	meets BCA Group 1
	DIN EN 1021:1 and EN 1021:2 ISO 8191:1 and ISO 8191:2 BS 5852:1 and BS 5852:2 IMO A.652	

ENVIRONMENTAL

- All wastewater is cleaned in a biological treatment plant, recycled and reused. No PCP, Chrome VI, CADMIUM, FORMALDEHYDE or AZO – Col Dyes are used in the tanning process. All dyes and pigments (finishes) are solvent free ie. water based
- State of the art application technology optimizes the finishing process and greatly reduces the rate of airborne emissions
- Regular inspections are conducted to ensure that quality and environmental standards are maintained at all times
- Low VOC product

CARE OF LEATHER

- Do not place leather in direct sunlight
- Ensure a minimum of 80cm between furniture and heating source
- Avoid contact of leather with sharp objects
- Regularly clean and dust your leather with a clean dry cloth
- Remove food spills immediately. Do not scrub hard
- Avoid using harsh chemicals and / or cleaners that are oil or solvent based
- Only clean leather with approved upholstery leather cleaners in accordance with the manufacturer's instructions